

Revision: May 22, 2001
BARS PRODUCTS
Holly, MI 48442

P.O. Box 187

(248) 634-8278

MATERIAL SAFETY DATA SHEETS

Product Name: SPLATT Bug Remover (SBR33,S90,S90Q,S90B5,S90B55)
Chemical Family: Organic Fluid
D.O.T. Hazardous Class: Not Regulated
D.O.T. Proper Shipping Name : Not Regulated
D.O.T. Hazard Class: Not Regulated
D.O.T. Labels Required: None
Un Number: None
D.O.T. Placard Required: None
Bill of Lading Description: None

EMERGENCY PHONE: 1-248-634-8278

CHEMTREC EMERGENCY: 1-800-424-9300

** SECTION II: INGREDIENTS

<u>Components:</u>	<u>CAS Registry No.</u>	<u>%</u>
Alkoxylated Alcohol	68412-54-4	5.7-9.2
Glycol-Ether	112-34-5	2-3
Alkanoamine Mixture	N/A (mixture)	80.3-88.7
H ₂ O	7732-18-5	3.6-7.5

SECTION III: PHYSICAL DATA

Typical Results

Boiling Point F: 200°F
Vapor Pressure 33: N/A
Vapor Density (Air=1): 17
Solubility in Water: Complete
Specific Gravity: 0.97
% Volatile By Weight: N/A
Evaporation Rate (Water=1): N/A

Appearance, odor: Clear liquid, mild
pH as is: 9.5-10

PHYSICAL HAZARD

<u>CLASSIFICATION</u>	<u>YES/NO</u>	NFPA Hazard Rating	
Combustible	No	Health	=0
Compressed Gas	No	Flammability	=0
Explosive	No	Reactivity	=0
Flammable	No		
Organic Peroxide	No		
Oxides	No	Hazard Rating Scale	
Pyrophoric	No	0=Minimal	3=Serious
Reactivity	No	1=Slight	4=Severe
Stable	Yes	2=Moderate	

Extinguishing Media: N/A

Special Fire Fighting Procedures: N/A

Unusual Fire and Explosion Hazards: N/A

SECTION IV: TOXICOLOGICAL INFORMATION

FIRST AID MEASURES:

- Eyes:** Immediately flush with water for 15 minutes. Hold eyes open while flushing. Contact a physician.
- Dermal:** Flush with large quantities of water for 15 minutes. Wash thoroughly with soap and water.
- Inhalation:** N/A
- Ingestion:** DO NOT INDUCE VOMITING. Give 1-3 glasses of water to dilute stomach contents. Contact a physician immediately.

ACUTE EFFECTS OF OVEREXPOSURE:

- Eyes:** May cause irritation.
- Dermal:** Brief contact is not irritating. Prolonged contact, as with clothing wetted with the material, may cause irritation, seen as local redness with possible mild discomfort
- Inhalation:** N/A
- Ingestion:** No adverse effects expected. If more than small amounts are swallowed, abdominal discomfort, nausea, and diarrhea may occur.

CHRONIC EFFECTS OF OVEREXPOSURE: None known

THERE MAY BE SPECIFIC REGULATIONS AT THE LOCAL, REGIONAL, OR STATE LEVEL THAT PERTAIN TO THIS MATERIAL

SECTION V: ACCIDENTAL RELEASE MEASURES

Emergency Action: N/A
Spill or Leak Procedure: Dilute and rinse down sewage drain or absorb with absorbent material and sweep up for disposal in commercial waste receptacle.
Waste Disposal Method: Non-toxic material may be disposed of in any commercial disposal conforming to Federal, State or Local regulations.

SECTION VI: HANDLING AND STORAGE

Store in tightly closed containers in a cool, dry, well-ventilated area. Do not store near acids or oxidizing material. Store out of direct sunlight. Do not store in unlabeled containers. Provide means of controlling spills and leaks.

SECTION VII: DISPOSAL CONSIDERATIONS

This product has been evaluated for RCRA characteristics and does not meet the criteria of a hazardous waste if discarded in its purchased form. Under RCRA, it is the responsibility of the user of the product to determine at the time of disposal, whether the product meets RCRA criteria for hazardous waste. This is because product uses, transformations, mixtures, processes, etc. may render the resulting materials hazardous.

*

SECTION VIII: NOTES

** The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or results to be obtained from the use thereof. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor

assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in the use of this material.