

OSHA-Required Health And Safety Information!

This Material Safety Data Sheet (MSDS) was requested moments ago from Hercules Automated Fax Information System. Please forward it immediately to the person in charge of MSDS's, or retain it at the machine until claimed.

Section 1

MATERIAL SAFETY DATA SHEET # 89
Megaloc™



MATERIAL SAFETY INFORMATION SERVICE

Hercules Chemical Company Inc.
 111 South Street
 Passaic NJ 07055
 Phone (800) 221-9330
 Fax (800) 333-3456

Date Prepared: 10/15/1995 **Last Reviewed:** 7/31/2007

Meets OSHA 29 CFR 1910.1200

Section 2 - Hazardous Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity; Common Name(s), CAS Numbers) | OSHA PEL | ACGIH TLV | Other Limits | Upper Bound Limit if SARA Reportable |
|--|----------|-----------|--------------|--------------------------------------|
| This product is not classified as hazardous in accordance with OSHA 1910.1200 | | | | |

HMIS Hazard Rating: Health: 0 Flammability: 0 Reactivity: 0 Personal Protection: A

Section 3 - Physical/Chemical Characteristics

| | | | |
|------------------------------|--|---------------------------------|--------------------------------|
| Boiling Point (°F): | Specific Gravity (H2O = 1): | Vapor Density (Air = 1): | Vapor Pressure (mm Hg): |
| N/A | 1.2 | N/A | N/A |
| Melting Point (° F): | Evaporation Rate: (Butyl Acetate = 1) | Solubility in Water: | |
| N/A | N/A | Insoluble | |
| Appearance And Color: | Blue paste | Odor: | None |

Section 4 - Fire And Explosion Hazard Data

| | | | |
|--|--------------------------|-------------|-------------|
| Flash Point: | Flammable Limits: | LEL: | UEL: |
| N/A | N/A | | |
| Extinguishing Media: Dry chemical, foam, carbon dioxide | | | |

Special Firefighting Procedures:

Use water to cool fire-exposed containers. If a leak or spill has not ignited, use water spray to disperse the vapors to provide protection for personnel.

Unusual Fire And Explosion Hazards:

None

Continued on Next Page

Section 5 - Reactivity Data

Stability: Stable **Conditions To Avoid:** Direct contact with open flame.

Incompatibility (Materials To Avoid): None known

Hazardous Decomposition: CO₂ and CO may form on burning

Hazardous Polymerization: Will not occur

Section 6 - Health Hazard Data

Routes of Entry: **Inhalation** N/A **Skin** YES/Primary **Ingestion** YES/Secondary

Health Hazards:

None

Carcinogenicity: **NTP** NO **IARC** NO **OSHA Regulated** NO

Signs And Symptoms of Exposure:

None: Could be mildly irritating to certain persons on prolonged contact.

Medical Conditions Generally Aggravated By Exposure:

None known

Emergency And First Aid Procedures:

SKIN: Wash with soap and water. **EYES:** As with most foreign materials should eye contact occur, flush eyes with plenty of water & get medical attention. **INGESTION:** Do not induce vomiting. Get medical attention.

Continued on Next Page

Section 7 - Precautions For Safe Handling And Use:**Steps To Be Taken In Case Material Is Released Or Spilled:**

Use absorbent material and sweep up.

Waste Disposal Method:

Non-hazardous landfill

Precautions To Be Taken In Handling And Storing:

None

Other Precautions:

Keep away from direct contact with open flame or sparks.

Section 8 - Control Measures:**Respiratory Protection:**

N/A

Ventilation: Local Exhaust Normal ventilation
Mechanical N/A

Special N/A

Other: N/A

Gloves: Rubber gloves

Eye Protection: Goggles or safety goggles

Other Protective

Clothing: None required

Work/Hygienic Practices: Wash up after handling the material.



FACTS
axed
AST!

For Hercules Material Safety Data Sheets by fax anytime, day or night, just call 1-800-942-INFO (1-800-942-4636) from any Touch-Tone phone. Have your fax number ready. Checking the product label for the correct MSDS # will save time.