

BARNES DISTRIBUTION

Synonyms: 21975
 MATERIAL SAFETY DATA SHEET
 ALL PURPOSE CLEAR HEAVY DUTY CEMENT FOR CPVC AND PVC

-----SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION -----

MSDS Name: ALL PURPOSE CLEAR HEAVY DUTY CEMENT FOR CPVC AND PVC
 Product CAS: (none)
 Product Code: 30818, 30821, 3083, 30847, 30848, 31575, 31576, 31577,
 31578, 31579, 31650, 31651, 32208, 32209
 Synonyms: 21975
 Company Identification:
 Name: OATEY CO
 Address: 4700 WEST 160TH STREET
 Address:
 City: CLEVELAND State: OH Zip: 44135
 For information, call: 216-267-7100
 Emergency Number: 303-623-5716 (24 HR) COLLECT
 Emergency Agency:
 Number:
 MSDS Creation Date: 10/1/2009
 Miscellaneous:
 CHEMICAL FAMILY: PVC PLASTIC PIPE CEMENT

FORMULA: 30834

-----SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS -----

Chemical Name	CAS	MIN	MAX
ACETONE	67-64-1	10	20
AMORPHOUS SILICA	112945-52-5	1	5
CPVC RESIN	68648-82-8	3	7
PVC RESIN	9002-86-2	7	15
CYCLOHEXANONE	108-94-1	10	20
TETRAHYDROFURAN	109-99-9	30	45
METHYL ETHYL KETONE	78-93-3	7	18
Miscellaneous:			

LISTED AS
 CARCINOGEN
 NTP, IARC OR
 OSHA 1910(Z)
 (SPECIFY)

% W	CHEMICAL NAME(S)	OSHA PEL	ACGIH TLV	STEL	LISTED AS CARCINOGEN NTP, IARC OR OSHA 1910(Z) (SPECIFY)
0-5	ACETONE	1000 PPM	5000 PPM	50 PPM STEEL	
1-4	AMORPHOUS SILICA	NOT EST	10 MG/M3	N.A.	NO
3-7	CPVC RESIN (NON- HAZARDOUS)	N.E.	10 MG/M3	N.E.	NO
8-12	PVC RESIN (NON- HAZARDOUS)	15 MG/M3	10 MG/M3	N.E.	NO
7-16	CYCLOHEXANONE	25 PPM	20 PPM	N.A.	NO
30-45	TETRAHYDROFURAN	200 PPM	200 PPM	250 PPM	NO
20-40	METHYL ETHYL				

ORDER NO: 4004997 RELEASE NO: 002 MSDS NO: 002661

KETONE B A R N E S D I S T R I B U T I O N
 200 PPM 200 PPM 300 PPM NO

Lbs of VOC per Gallon Coating (minus water): 0
Coating Density (lbs/gal): 0
Solvent Density (lbs/gal): 0
Percent Solvent (volume): 0
Percent Solids (volume): 0
Percent Water (volume): 0

-----SECTION 3 - HAZARDS IDENTIFICATION -----

NFPA: Health: 2 Fire: 3 Reactivity: 1 Other:
HMIS: Health: 3 Fire: 3 Reactivity: 1 Special Protection:
Miscellaneous:

POTENTIAL HEALTH EFFECTS

Target Organs:

EYE, SKIN, KIDNEY, LUNG, LIVER, CENTRAL NERVOUS SYSTEM.

PRIMARY ROUTES OF ENTRY: INHALATION, SKIN CONTACT, EYES, INGESTION.

Eye:

HEALTH HAZARDS (ACUTE AND CHRONIC - INCLUDE TARGET ORGAN EFFECTS):
VAPORS

OR DIRECT CONTACT MAY CAUSE IRRITATION.

Skin:

HEALTH HAZARDS (ACUTE AND CHRONIC - INCLUDE TARGET ORGAN EFFECTS):
CHRONIC CONTACT MAY LEAD TO IRRITATION & DERMATITIS. MAY POSSIBLY BE
ABSORBED THROUGH THE SKIN.

Ingestion:

HEALTH HAZARDS (ACUTE AND CHRONIC - INCLUDE TARGET ORGAN EFFECTS): MAY
BE

ASPIRATED INTO THE LUNGS OR CAUSE SYSTEMIC EFFECTS DESCRIBED UNDER
INHALATION.

Inhalation:

HEALTH HAZARDS (ACUTE AND CHRONIC - INCLUDE TARGET ORGAN EFFECTS): MAY
CAUSE IRRITATION OF MUCOUS MEMBRANES, NOSE & THROAT, HEADACHE,
DIZZINESS,

NAUSEA, NUMBNESS OF THE EXTREMITIES AND NARCOSIS IN HIGH CONCENTRATIONS.
HAS CAUSED CNS DEPRESSION & LIVER DAMAGE IN ANIMALS, & HIGH
CONCENTRATIONS

HAVE CAUSED RETARDATION OF FETAL DEVELOPMENT IN RATS.

Miscellaneous:

CONDITIONS TO AVOID: SEE ABOVE.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: SEE HEALTH HAZARDS ABOVE.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: N.D.

-----SECTION 4 - FIRST AID MEASURES -----

B A R N E S D I S T R I B U T I O N

Eye:

IF FUMES CAUSE IRRITATION, MOVE TO FRESH AIR AND IRRIGATE EYES WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. IF EYE IS STRUCK WITH WIRE, SEEK MEDICAL ATTENTION.

Skin:

IF IRRITATION ARISES, WASH THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

Ingestion:

DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER AND CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY. AVOID ALCOHOLIC BEVERAGES. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Inhalation:

MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. KEEP VICTIM QUIET AND WARM. CALL A POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY.

Notes to Physician:

-----SECTION 5 - FIRE FIGHTING MEASURES -----

Unusual Fire and Explosion Hazards:

NONE.

Special Fire Fighting Procedures:

SEE "EXTINGUISHING MEDIA"

Extinguishing Media:

SMALL FIRES: DRY CHEMICAL, CO2, WATER OR FOAM EXTINGUISHER.

LARGE FIRES: EVACUATE AREA AND CALL FIRE DEPARTMENT IMMEDIATELY.

Flash Point:

0-5 F, METHOD USED:PMCC

Flammable Limits:

Lower Limit:

LEL: 1.8

Upper Limit:

UEL: 11.8

AutoIgnition Temperature:

N/A

General Information:

-----SECTION 6 - ACCIDENTAL RELEASE MEASURES -----

Disposal:

DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REGULATIONS.

RCRA HAZARDOUS WASTE NO. (40 CFR 261.33): D001, EPA HAZARDOUS WASTE

CLASS: IGNITABLE WASTE/TOXIC WASTE.

Spills/Leaks:

VENTILATE AREA, STOP LEAK IF IT CAN BE DONE WITHOUT RISK. TAKE UP WITH SAND, EARTH, OR OTHER NON-COMBUSTIBLE ABSORBING MATERIAL.

-----SECTION 7 - HANDLING and STORAGE -----

ORDER NO: 4004997 RELEASE NO: 002 MSDS NO: 002661

B A R N E S D I S T R I B U T I O N

Handling:

KEEP AWAY FROM HEAT, SPARKS, AND FLAMES. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. AVOID BREATHING VAPORS OR MISTS.

Storage:

STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. DO NOT CUT OR WELD OR OR NEAR EMPTY OR FULL CONTAINERS.

-----SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION -----

Engineering Controls:

VENTILATION -

LOCAL EXHAUST (SPECIFY RATE): OPEN DOORS & WINDOWS. IF USED IN ENCLOSED

AREA, USE EXHAUST FANS.

MECHANICAL (GENERAL)(SPECIFY RATE): EXHAUST VENTILATION CAPABLE OF MAINTAINING EMISSIONS AT THE POINT OF USE BELOW PEL.

SPECIAL: NONE.

OTHER: NONE.

Eyes:

(SPECIFY TYPE): SAFETY GLASSES WITH SIDE SHIELDS.

Skin:

PROTECTIVE GLOVES (SPECIFY TYPE): RUBBER GLOVES.

Clothing:

OTHER PROTECTIVE EQUIPMENT: EYE WASH AND SAFETY SHOWER SHOULD BE AVAILABLE.

Respirators:

(SPECIFY TYPE): NIOSH-APPROVED CANISTER RESPIRATOR IN ABSENCE OF ADEQUATE VENTILATION.

-----SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES -----

Appearance/Odor:

MILKY LIQUID, ETHER-LIKE ODOR.

pH: N.A.

Vapor Pressure: @ 20 C: 145 MM HG

Vapor Density: (AIR=10: 2.5

Evaporation Rate: (ETHER=1): 5.5-8.0

Viscosity: N/A

Boiling Point: 151 F, 66 C

Freezing/Melting Point: N/A

Decomposition Temperature: N/A

Solubility: IN WATER: NEGLIGIBLE

Specific Gravity: .94

Molecular Formula: N/A

Molecular Weight: N/A

Miscellaneous:

VOLATILE COMPONENTS (%): 84-88

ORDER NO: 4004997 RELEASE NO: 002 MSDS NO: 002661

BARNES DISTRIBUTION
MAXIMUM PERCENT VOC BY WEIGHT (%): %N.D., METHOD USED: CALCULATED.

PERCENT SOLID BY WEIGHT (%): N.D.
VOC LEVEL: 600 G/L PER SCAQMD TEST METHOD 316A.
VOLATILE COMPONENTS: 84-88%

-----SECTION 10 - STABILITY AND REACTIVITY -----

Chemical Stability:

STABLE

Conditions to Avoid:

STABILITY: HEAT, SPARKS AND OPEN FLAME.

HAZARDOUS POLYMERIZATION: NONE.

Incompatibilities with Other Materials:

ACIDS, OXIDIZING MATERIALS, ALKALIS, CHLORINATED INORGANICS (POTASSIUM, CALCIUM AND SODIUM HYPOCHLORITE), COPPER OR COPPER ALLOYS.

Hazardous Decomposition Products:

COMBUSTION WILL PRODUCT TOXIC AND IRRITATING VAPORS INCLUDING CARBON MONOXIDE, CARBON DIOXIDE AND HYDROGEN CHLORIDE.

Hazardous Polymerization:

WILL NOT OCCUR

-----SECTION 11 - TOXICOLOGICAL INFORMATION -----

Toxicological Information:

ACETONE: ORAL RAT LD:50 5,800 MG/KG

INHALATION RAT LC50: 50,100 MG/M3/8 HOURS

CYCLOHEXANONE: ORAL RAT LD50: 1,620 MG/KG

INHALATION RAT LC50: 8,000 PPM/4 HOURS

SKIN RABBIT LD50: 1ML/KG

TETRAHYDROFURAN: ORAL RAT LD50: 1,650 MG/KG

INHALATION RAT LC 50: 21,000 PPM/E HOURS

METHYL ETHYL KETONE: ORAL RAT LD50: 2,737 MG/KG

INHALATION RAT LC50: 23,500 MG/M3/8 HOURS

SKIN RAT LD50: 6,480 MG/KG

SENSITIZATION: NONE OF THE COMPONENTS ARE KNOWN TO CAUSE SENSITIZATION.

CARCINOGENICITY: NONE OF THE COMPONENTS ARE LISTED AS A CARCINOGEN OR

SUSPECT CARCINOGEN BY NTP, OR OSHA. THE

NATIONAL TOXICOLOGY PROGRAM HAS REPORTED THAT EXPOSURE OF MICE AND RATS TO TETRAHYDROFURAN (THF) VAPOR LEVELS

UP TO 1800 PPM 6 HR/DAY, 5 DAYS/WEEK FOR THEIR LIFETIME CAUSED AN

INCREASED INCIDENCE OF KIDNEY TUMORS IN MALE

RATS AND LIVER TUMORS IN FEMALE MICE. THE SIGNIFICANCE OF THESE FINDINGS

FOR HUMAN HEALTH ARE UNCLEAR AT THIS TIME,

AND MAY BE RELATED TO "SPECIES SPECIFIC" EFFECTS. ELEVATED INCIDENCE OF

TUMORS IN HUMANS HAVE NOT BEEN REPORTED

FOR THF. ACGIH HAS CLASSIFIED (CYH) AS "A3", CONFIRMED ANIMAL

CARCINOGEN

WITH UNKNOWN RELEVANCE TO HUMANS.

BARNES DISTRIBUTION

MUTAGENICITY: ACETINE HAS BEEN POSITIVE IN A MAMMAL CELL CYTOGENIC ANALYSIS BUT NEGATIVE IN MANY OTHER ASSAYS. AT MOST, ACETONE IS WEAKLY GENOTOXIC. CYCLOHEXANONE HAS BEEN POSITIVE IN BACTERIAL AND MAMMALIAN ASSAYS. TETRAHYDROFURAN WAS POSITIVE IN A BACTERIAL ASSAY. METHYL ETHYL KEONE IS NOT CONSIDERED GENOTOXIC BASED ON LABORATORY STUDIES.

REPRODUCTIVE TOXICITY: METHYL ETHYL KETONE AND CYCLOHEXANONE HAVE BEEN SHOWN TO CAUSE EMBRYOFETAL TOXICITY AND BIRTH DEFECTS IN LABORATORY ANIMALS. ACETONE AND TETRAHYDROFURAN HAVE BEEN FOUND TO CAUSE ADVERSE DEVELOPMENTAL EFFECTS ONLY WHEN EXPOSURE LEVELS CAUSE OTHER TOXIC EFFECTS TO THE MOTHER.

-----SECTION 12 - ECOLOGICAL INFORMATION -----

Ecological Information:

-----SECTION 13 - OTHER PRECAUTIONS -----

Other Precautions:
CONTAINERS, EVEN EMPTIES WILL RETAIN RESIDUE AND VAPORS.
Work/Hygienic Practices:

-----SECTION 14 - TRANSPORT INFORMATION -----

Transportation Information:

DOT	LESS THAN 1 LETER (0.3 GAL)
GREATER THAN 1 LITER (0.3 GAL)	
PROPER SHIPPING NAME	CONSUMER COMMODITY
ADHESIVES	
HAZARD CLASS/PKG GROUP	ORM-D
3, PGII	
UN/NA NUMBER	NONE
UN1133	
HAZARD LABEL	NONE
FLAMMABLE LIQUID	
IMDG	
PROPER SHIPPING NAME	ADHESIVES
ADHESIVES	
HAXARD CLASS/PKG GROUP	3, II
3, II	
UN NUMBER	UN1133
UN1133	
LABEL	NONE (LIMITED QTY ARE EXCEPTED)
CLASS 3 (FLAMMABLE LIQUID)	
RCRA HAZ WASTE NUMBER	U002, U057, U159, U213
EPA HAZ WASTE ID NUMBER	D001, D035, F003, F005
EPA HAZ WASTE CLASS: IGNITABLE WASTE. TOXIC WASTE (METHYL EHTYL KETONE)	

ORDER NO: 4004997 RELEASE NO: 002 MSDS NO: 002661

BARNES DISTRIBUTION

CONTENT)

200 NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER 127 OR 128

Label Information:

-----SECTION 15 - REGULATORY INFORMATION -----

Regulatory Information:

REGULATIONS

HAZARD CATEGORY FOR SECTION 311/312: ACUTE HEALTH,
CHRONIC HEALTH, FLAMMABLE
SECTION 302 EXTREMELY THIS PRODUCT DOES
NOT CONTAIN CHEMICALS REGULATED UNDER SARA SECTION
HAZARDOUS SUBSTANCE 302.

SECTION 313 TOXIC CHEMICALS: THIS PRODUCT CONTAINS THE FOLLOWING
CHEMICALS SUBJECT TO SARA TITLE III SECTION 313
REPORTING REQUIREMENTS;

	CHEMICALS	CAS #
%	METHYL ETHYL KETONE	78-93-3
25-40%		

CERCLA 103 REPORTABLE QUANTITY: SPILLS OF THIS PRODUCT OVER THE RQ MUST
BE REPORTED TO THE NATIONAL RESPONSE CENTER. THE RQ FOR THE PRODUCT BASED ON THE RQ FOR TETRAHYDROFURAN (45%
MAX) OF 1,000 LBS, IS 2,222 LBS
MANY STATES HAVE MORE STRINGENT RELEASE REPORTING REQUIREMENTS. REPORT
SPILLS REQUIRED UNDER FEDERAL, STATE AND LOCAL REGULATIONS.
CALIFORNIA PROPOSITION 65: THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS
SUBJECT TO CA. PROPOSITION 65 REGULATION.

TSCA INVENTORY: ALL OF THE COMPONENTS OF THIS PRODUCT ARE LISTED ON THE
TSCA INVENTORY.

-----SECTION 16 - ADDITIONAL INFORMATION -----

Additional Information:

N.A. - NOT APPLICABLE
N.E. - NOT ESTABLISHED
N.D. - NOT DETERMINED